

FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 194

P.O. Box 690928
Houston, TX 77269-0928
832-467-1599
832-467-1610 fax

Dear New Customer:

Welcome to the Fort Bend County Municipal Utility District No 194. The following information is being provided to help you become familiar with the policies and procedures relating to your water and sewer service.

The District requires a \$75.00 security deposit and a \$25.00 application fee. The deposit, a completed application and a signed Customer Service Agreement are required to set up service. The deposit will be refunded when your account is closed and paid in full.

Water Service is provided at the following rate*, subject to change.

	\$15.00 Flat Rate (Includes 1,000 gallons)
1,001 – 10,000 gallons	\$1.00 per thousand gallons
10,001 – 20,000 gallons	\$1.50 per thousand gallons
20,001 – 30,000 gallons	\$3.00 per thousand gallons
30,001 – 99,999 gallons	\$4.00 per thousand gallons

Sewer service is billed at the following rate:

0 – 99,999 gallons	\$21.74
--------------------	---------

North Fort Bend County Regional Water Authority is \$3.40 per 1,000 gallons*, subject to change.

Your due date is the 3rd of each month. A 10% penalty will be assessed if payment is received after the due date. This amount is shown in the "After Due Date" block on your bill.

If your account is 60 days past due at the time current bills are generated, a termination notice will be sent to your address. At this point all charges (including current charges) are due to avoid termination of your service. Should full payment not be received as directed on the letter, your service will be disconnected. Should service be disconnected, a \$50.00 disconnect fee will be added to your account and an additional \$50.00 deposit will be required. Full payment will be required to restore service, payable by cashier's check or money order only. A \$25.00 charge will be assessed on all checks returned by the bank.

The District's operator is EDP (Environmental Development Partners). You can contact them at **832-467-1599**. Emergencies are responded to 24 hours a day. Billing questions and non-emergency calls are taken Monday through Friday 8AM to 5PM. Please do not hesitate to call with any questions, concerns, or service problems. We are here to help.

Fort Bend MUD #194 has contracted WCA to provide trash collection services. ***Please call WCA to request new service.*** All questions regarding trash services can be answered by contacting WCA at 281-368-8397.

Payments should be mailed to: **Fort Bend MUD #194**
P.O. Box 690928
Houston, TX 77269-0928

You may utilize EDP's website, www.edpwater.com, to view a list of your payment options.



Environmental Development Partners

WATER UTILITY SERVICES
832-467-1599
FAX: 832-467-1610

APPLICATION FOR RESIDENTIAL UTILITY SERVICE

NAME OF DISTRICT: FORT BEND COUNTY MUD #194 DATE: _____

Table with 6 columns and 10 rows containing fields for address, resident name, telephone, billing address, employment, previous address, drivers license, and fees.

IS IRRIGATION SYSTEM INSTALLED? _____ POOL / SPA? _____

- APPLICANT IS REQUIRED TO SIGN A CUSTOMER SERVICE AGREEMENT TO RECEIVE SERVICE.
• APPLICANT MUST SUBMIT FULL PAYMENT FOR ALL FEES AND DEPOSIT WITH APPLICATION.

APPLICANT'S FAILURE TO ADHERE TO ALL REQUIREMENTS CONTAINED IN THE DISTRICT'S RATE ORDER MAY RESULT IN FINES, PENALTIES AND A DELAY OR DENIAL OF SERVICE ESTABLISHMENT. A COPY OF THE DISTRICTS RATE ORDER IS AVAILABLE UPON REQUEST.

DATE: _____ SIGNATURE: _____

PRINTED NAME: _____

EXHIBIT "E"

SERVICE AGREEMENT

- I. **PURPOSE.** The Fort Bend County Municipal Utility District No. 194 ("District") is responsible for protecting the drinking water supply from contamination or pollution which could result from improper plumbing practices. The purpose of this service agreement is to notify each customer of the plumbing restrictions which are in place to provide this protection. The District enforces these restrictions to ensure the public health and welfare. Each customer must sign this agreement before the District will begin service. In addition, when service to an existing connection has been suspended or terminated, the District will not re-establish service unless it has a signed copy of this agreement.

- II. **PLUMBING RESTRICTIONS.** The following unacceptable plumbing practices are prohibited by State regulations.
 - A. No direct connection between the public drinking water supply and a potential source of contamination is permitted. Potential sources of contamination shall be isolated from the public water system by an air-gap or an appropriate backflow prevention device.

 - B. No cross-connection between the public drinking water supply and a private water system is permitted. These potential threats to the public drinking water supply shall be eliminated at the service connection by the installation of an air-gap or a reduced pressure-zone backflow prevention device.

 - C. No connection which allows water to be returned to the public drinking water supply is permitted.

 - D. No pipe or pipe fitting which contains more than a weighted average of 0.25% lead may be used for the installation or repair of plumbing at any connection which provides water for human use.

 - E. No solder or flux which contains more than 0.2 percent lead can be used for the installation or repair of plumbing at any connection which provides water for human use.

- III. **SERVICE AGREEMENT.** The following are the terms of the service agreement between the Fort Bend County Municipal Utility District No. 194 (the "District") and [NAME OF CUSTOMER] (the "Customer").

- A. The District will maintain a copy of this agreement as long as Customer and/or the premises is connected to the District's water system.
 - B. Customer shall allow his/her property to be inspected for possible cross-connections and other unacceptable plumbing practices. These inspections shall be conducted by the District or its designated agent prior to initiating new water service; when there is reason to believe that cross-connections or other unacceptable plumbing practices exist; or after any major changes to the private plumbing facilities. The inspections shall be conducted during the District's normal business hours.
 - C. The District shall notify Customer in writing of any cross-connection or other unacceptable plumbing practice which has been identified during the initial inspection or the periodic reinspection.
 - D. Customer shall immediately correct any unacceptable plumbing practice on his/her premises.
 - E. Customer shall, at his/her expense, properly install, test, and maintain any backflow prevention device required by the District. Copies of all testing and maintenance records shall be provided to the District.
 - F. Customer understands and agrees that the District does not guarantee any specific quantity or pressure of water for any purpose whatsoever and that the District is not liable to customer for failure or refusal to furnish any particular amount or pressure of water to Customer at any time.
- IV. **ENFORCEMENT.** If Customer fails to comply with the terms of the Service Agreement, the District shall, at its option, either terminate service or properly install, test, and maintain an appropriate backflow prevention device at the service connection. Any expenses associated with the enforcement of this Service Agreement shall be billed to Customer.

CUSTOMER'S SIGNATURE: _____

DATE: _____

ADDRESS: _____

Notification of Chloramine Disinfection Method

This water system uses chloramines as the primary disinfectant. The use of this disinfectant is intended to benefit our customers by reducing the levels of disinfection byproducts (DBPs) in the system, while still providing protection from waterborne disease.

However, chloramines can cause problems to persons dependent on dialysis machines. A condition known as hemolytic anemia can occur if the disinfectant is not completely removed from the water that is used for the dialysate. Consequently, the pretreatment scheme used for the dialysis units must include some means, such as a charcoal filter, for removing the chloramine prior to this date. Medical facilities should also determine if additional precautions are required for other medical equipment.

In addition, chloraminated water may be toxic to fish. If you have a fish tank, please make sure that the chemicals or filters that you are using are designed for use in water that has been treated with chloramines. You may also need to change the type of filter that you use for the fish tank.

If you have questions regarding this matter, you may contact Environmental Development Partners at 832-467-1599.